
**Problem 11c-1** – Determine the moments in the frame. Assume the support at *A* and *D* is fixed, and *EI* is constant.



**Problem 11c-1** – Determine the moments in the frame. Assume the support at *A* and *D* is fixed, and *EI* is constant.

Joint	А	С		D		В
Member	AC	CA	CA	DC	DB	BD
DF						
FEM						
Dist.						
СО						
Dist.						
СО						
Dist.						
СО						
Dist.						
СО						
Dist.						

**Problem 11c-1** – Determine the moments in the frame. Assume the support at *A* and *D* is fixed, and *EI* is constant.

Joint	А	С		D		В
Member	AC	CA	CA	DC	DB	BD
DF						
FEM						
Dist.						
СО						
Dist.						
СО						
Dist.						
СО						
Dist.						
СО						
Dist.						
СО						
Dist.						

<b>Problem 11c-1</b> – Determine the moments in the frame. Assume the support at <i>A</i> and <i>D</i> is fixed, and <i>EI</i> is constant.

<b>Problem 11c-1</b> – Determine the moments in the frame. Assume the support at <i>A</i> and <i>D</i> is fixed, and <i>EI</i> is constant.

<b>Problem 11c-1</b> – Determine the moments in the frame. Assume the support at <i>A</i> and <i>D</i> is fixed, and <i>EI</i> is constant.

<b>Problem 11c-1</b> – Determine the moments in the frame. Assume the support at <i>A</i> and <i>D</i> is fixed, and <i>EI</i> is constant.

<b>Problem 11c-1</b> – Determine the moments in the frame. Assume the support at <i>A</i> and <i>D</i> is fixed, and <i>EI</i> is constant.