# OVERVIEW OF STRUCTURAL ENGINEERING STANDARDS

# The Basic Implementation of the 2003 NEHRP Recommended Provisions



Instructional Material Complementing FEMA 451, Design Examples

**Overview of Standards 8b - 1** 

# Scope

- Brief description of standards for design of basic building structures that implement the 2003 NEHRP Recommended Provisions
- Does not include standards referenced for design of nonstructural components and anchorages
- Does not include standards referenced for design of nonbuilding structures





#### NEHRP Recommended Provisions

for Seismic Regulations for New Buildings and Other Structures

FEMA 450-1/2003 Edition

Part 1: Provisions






#### NEHRP Recommended Provisions

- Fundamentally a resource document
- Produced at the Building Seismic Safety Council
- 2003 edition influences many standards
- 3 year cycle till now





## **IBC 2006**

- Sets some basic requirements, but mostly cites structural design standards by reference.
- A distinct change from the UBC, more like SBC and BNBC.





ASCE/SEI 7 2005 edition with Supplement 1

- Includes the bulk of 2003 NEHRP Provisions for its seismic chapters
- Reorganized and strongly edited



#### ASCE 7

- Developed by ASCE-SEI using ANSI standard consensus process
- Publication cycle varies (1988, 1993, 1995, 1998, 2002, 2005)
- Latest Version ASCE 7-05 Including Supplement 1 includes references to latest (2005 editions) material standards
- Extensive errata go to <u>www.seinstitute.org</u> & click on publications



#### **Vision of the Future**

- Code "evolution" should slow somewhat (next edition of ASCE 7 in 2010/2011)
  - Standards are more difficult to change than codes – ASCE 7-10/11 should be adopted by 2012 IBC
  - Less rapid fire adoption of major changes
- However, IBC Code Supplements will still occur every 18 months with new full editions every 3 years.



#### **ASCE 7-05 Reorganization**

Goals of seismic section reorganization:

- To improve clarity and use
- Reduce depth of section numbering from 6 max typical to 4 max typical (i.e., Sec. 9.5.2.5.2.2 is now Sec. 12.5.3)
- Create logical sequence of provisions aim at the structural engineering community
- Improve headings and clarify ambiguous provisions




#### ASCE 7-05 Chapter 14: Material Specific Design and Detailing

- 1 Steel
- 2 Concrete
- 3 Composite Steel and Concrete
- 4 Masonry
- 5 Wood

IBC 2006 does not cite Chapter 14 by reference; it includes the same information in its chapters dealing with the material of construction



# **Structural Steel**



**FEMA** 

#### **Structural Steel**

- Can ignore AISC 341 (seismic provisions) in Seismic Design Categories B, C if use R = 3
- Seismic provisions (341) required for all other situations
  - Special, intermediate, ordinary moment resisting frames
  - Special, ordinary concentrically braced frames
  - Eccentrically braced frames
  - Buckling restrained braced frames
  - Steel plate shear walls
  - Composite steel and concrete systems



# **Cold Formed Steel**






# **Cold Formed Steel**

New lateral design standard covers:

- Diaphragms and walls sheathed with structural wood panels
- Walls sheathed with light gage steel sheet
- Walls braced with diagonal steel straps
  No specific reference for untopped steel deck acting as a diaphragm.





# ACI 318-05

- Seismic requirements are primarily found in Chapter 21
- Composite steel and concrete is covered in AISC 341



# **Structural Concrete**

- Special, intermediate, ordinary moment resisting frames
- Special, ordinary shear walls (structural walls)
- Special, intermediate, ordinary precast concrete shear walls
- Special precast concrete moment frames
- Provisions for concrete structure not designed as part of seismic force resisting systems



Reported by the Masonry Standards Joint Committee (MSJC)

Building Code Requirements for Masonry Structures (ACI 530-05/ASCE 5-05/TMS 402-05)

> Specification for Masonry Structures (ACI 530.1-05/ASCE 6-05/TMS 602-05)

Commentary on Building Code Requirements for Masonry Structures (ACI 530-05/ASCE 5-05/TMS 402-05)

> Commentary on Specification for Masonry Structures (ACI 530.1-05/ASCE 6-05/TMS 602-05)



# TMS 401-05 ACI 530-05 ASCE 5-05 (MSJC Code)

 Mostly incorporated into IBC chapter 21 by transcription as opposed to citation by reference



# Masonry

- Five types of masonry shear walls
  - Special, intermediate, ordinary reinforced walls
  - Detailed, ordinary plain walls
- Seismic provisions somewhat buried and convoluted (2008 edition will be better!)
- Prestressed shear walls
- Autoclaved aerated concrete (AAC) masonry







#### Timber Structures: Seismic Supplement

- Diaphragms and shear walls
- Various sheathing types
- Framing and configuration requirements
- Note that much of this information was formerly included directly in the model building code rather than a design standard.



# **Structural Standards: Summary**

- IBC 2006 cites ASCE 7-05; based on 2003 NEHRP Recommended Provisions
- Both IBC and ASCE 7 cite and supplement the 2005 material design standards:
  - AISC for structural steel and composite steel/concrete
  - AISI for cold formed steel
  - ACI for concrete
  - TMS 402 (MSJC) for masonry
  - AF&PA NDS for timber

